

**Roth**

Valid from January 2024

## Product Brochure 2024

**Underfloor heating system  
Pipe installation system**

*Living full of energy*


**CONTENTS****Roth underfloor heating .....3**

Roth underfloor systems.....	4
Pipe.....	6
Fixing systems (screed).....	7
Roth QuickTemp ClimaComfort® (low profile screed).....	8
Roth QuickTemp Compact® (low profile overlay) .....	9
Fixing systems (joist).....	10
Connecting systems.....	11
Fittings .....	15
Roth Touchline® BL 230V (Wired) .....	17
Roth Touchline® PL (Wireless) .....	19
Roth Touchline® SL (Wireless) .....	20
Roth Touchline® BL 24V (Wired) .....	23
Control Grab and Go boxes .....	24
Accessories & tools .....	26
Tools and spares .....	27

**Roth Alu-LaserPlus® pipe system .....31**

Roth Alu-LaserPlus® pipe .....	32
T-pieces .....	32
Elbows .....	34
Transition & couplings .....	35
Fittings .....	37
Accessories & tools .....	40

# Roth underfloor heating



## Overview with underfloor benefits...

### Complete Roth underfloor heating solutions

The future of UK heating and cooling systems is underfloor combined with low temperature air and ground source units. Roth has developed and manufactured reliable and innovative under floor heating and cooling systems for more than 30 years. Today we already offer complete solutions for all types of projects from minor refurbishments to major new builds. When you choose a complete Roth underfloor heating system, you purchase high quality and technical excellence. You will receive best in class service from bespoke design to delivery. We provide solutions for all types of construction and flooring designs, from conventional screed to dry systems covering joisted floors, low construction height, rapid response times and low energy consumption.

The result for consultants, developers, installers and end-users are Roth systems that are easy and flexible to work with and give the consumer plenty of comfort and guaranteed energy-efficient heating. Today the Roth systems are not just installed in domestic housing the benefits of underfloor are being experienced in many sectors such as healthcare, schools, retail, sports and leisure's, exhibitions halls, conference centres, offices, poultry farms and warehousing.

# Roth underfloor systems




## ROTH SCREED SYSTEMS



### SYSTEM DESCRIPTION

#### Roth Original Tacker® System

The Roth Original Tacker® System provides a high degree of flexibility and ease of installation even with most challenging of floor plans. The pipe is secured to the pre-laid insulation by means of a Roth tacker gun and barbed 43 or 58 mm pipe clips. The system is suitable for Roth X-PERT S5® pipe 16 to 20 mm providing the underfloor designer with a choice of centres and patterns to achieve optimum heating or cooling across the floor.




#### Roth Pin Clamp System

Based on the tacker clip function the compression spring gun delivers a staple pin securing 10.5 –16 mm pipe into wooden floors. The tool holds 4 x 20 pin magazines. The clip is designed with 16 mm steel pins completed with a solid plastic collar giving a finishing height of 20 mm.



#### Roth Knob System

The Roth Knob System is characterized by its easy lay installation. The undercut ears of the castellated knob contour enable Roth X-PERT® S5 pipe 14 to 16 mm to be fixed into position without any need for tools. All installation centres and patterns are possible within the 50 mm knob grid. In addition to the basic castellated sheet the system is available with two EPS insulation options 10 and 30 mm.



#### Roth Clip Rail System


The Roth Clip Rail System is attached to existing insulation with holding clips or secured in concrete with nail a gun, in addition the rail comes with adhesive tape on the underside to secure initial positioning. The clip rail is 2 meters long with options for mounting 10.5 mm, 16 mm or 20 mm Roth X-PERT® S5 Pipe. The 50 mm rail clip spacing provides pipe centre flexibility, fixing is achieved by simply pressing the pipe into the rail clip. Distance between clip rail rows should be designed at 1 m intervals.

## ROTH LOW PROFILE SYSTEMS



#### Roth QuickTemp Compact® System

Roth QuickTemp Compact® is a specially developed dry system for the installation of underfloor heating where low overall installation height and quick heat response time is required. The system uses 10.5 mm Roth X-PERT® S5 Pipe laid in a 4 track, 150 centres 0.5 mm aluminium distribution plate bonded to high density EPS insulation to give total 14 mm height build up. Roth QuickTemp Compact® can be installed as a floating system for wood flooring or as a fixed system for tiles using Roth QuickTemp Compact® FLEX FIX adhesive. The system also has the option of a 24 mm bonded insulation plated for installation with 16 mm Roth X-PERT® S5 Pipe.




#### Roth QuickTemp ClimaComfort®

Roth QuickTemp ClimaComfort® is a versatile, easy to install low profile screed system that supports all types of flooring. Based on a design height of 17 mm the system is especially suitable for renovations projects. The specially developed honeycomb castellation allows the Roth QuickTemp ClimaComfort® FLOW, a self-leveling fibre screed to create a solid thermal mass around the 10.5 mm pipe. The result produces the system with both structural strength and rapid thermal response times. The castellated design gives total design and pattern flexibility to deliver optimum heat output to the most challenging of project.

# Roth underfloor systems


## ROTH JOISTED/DRY CONSTRUCTION SYSTEMS

### SYSTEM DESCRIPTION



#### Roth QuickTemp Heat diffusion Plate

Roth QuickTemp heat distribution plates are designed to be installed directly on the top of the suspended timber floor joists or on top of floor battens. The aluminium plates lay flush across the joists or battens with minimum height build up creating 100% contact surface with floor covering resulting in even heat distribution. The Roth system uses 16 mm PERT S5® pipe in 2 x track 200 mm centres with 1000 mm x 390 mm x 0.5 mm plates.




#### Roth QuickTemp Heat diffusion Plate with EPS Insulation

Roth QuickTemp heat distribution plates with 30 mm EPS insulation are designed to be installed with the aluminium plates directly on the top of the suspended timber floor joists. The insulation panel is positioned between the joists fixed onto wooden battens. The aluminum plates lay flush across the joists or battens with minimum height built up creating 100% contact surface with floor covering resulting in even heat distribution. The Roth system uses 16 mm PERT S5® pipe in 2 x track 200 mm centres.



#### Roth QuickTemp Routed EPS Universal System


Roth QuickTemp Universal EPS 30 mm panel can be used for all types of constructions. The panel can be laid on stable substrate of concrete, wood, etc., but also on other insulation. The panel is designed to be installed with Roth X-PERT S5® 16 mm and 20 mm pipes which are laid in independent single-track Roth aluminium heat distribution plates. On the same panel there is the option of 3 x 16 mm at 150 mm centres pipe tracks or 2 x 200 mm centre per 1800 x 600 mm plate to meet required w/m<sup>2</sup> heat output figure.



#### Roth QuickTemp Routed Chipboard System

Roth QuickTemp universal chipboard system is an ideal solution for new construction and renovation projects replacing traditional chipboard/floorboard areas. The system consists of a 22 mm routed board which is then laid in the same way as normal construction chipboard. The board is designed to be installed with Roth X-PERT S5® 16 mm pipe which sits in Roth aluminium heat distribution plates. There are 3 single track (1200 mm) plate options 0.3 mm – 0.7 mm at 150 or 200 mm centres to ensure the heat distribution delivers the designed output performance for the building infrastructure.

## ROTH COMMERCIAL SYSTEMS



### Roth commercial Systems

When it comes to large-scale applications and buildings with special load-bearing capacity requirements, Roth's underfloor design tool offers a perfect solution for different industrial and commercial applications in varying structural conditions. The Roth commercial offering utilizes 20 mm and 26 mm pipe, tied to the reinforcing bars of the concrete, combined with Roth composite manifolds. The system provides maximum design flexibility and easy installation to guarantee an energy efficient floor heating and/or cooling environment.



MATERIAL	PCK QUANTITY	UK NO.
Roth heating pipe X-PERT S5® 10.5 mm, 70 m	70 m	7087207210
Roth heating pipe X-PERT S5® 10.5 mm, 200 m	200 m	7087207230
Roth heating pipe X-PERT S5® 14 mm, 240 m	240	1115009062
Roth heating pipe X-PERT S5® 16 mm, 90 m	90 m	7087207216
Roth heating pipe X-PERT S5® 16 mm, 200 m	200 m	7087207235
Roth heating pipe X-PERT S5® 16 mm, 650 m	650 m	7087207237
Roth heating pipe X-PERT S5® 20 mm, 120 m	120 m	7087207220
Roth heating pipe X-PERT S5® 20 mm, 240 m	240 m	7087207240
Roth heating pipe X-PERT S5® 20 mm, 600 m	600 m	7087207249



Roth PE protective split pipe 19/25 (red) Suitable for 16 mm pipe.	25 m	1135000295
Roth PE protective split pipe 23/28 (red) Suitable for 20 mm pipe.	25 m	1135000296




Roth Alu-LaserPlus® iso 16 x 2.0 mm, 50 m w/9 mm insulation	50 m	7087102216
Roth Alu-LaserPlus® iso 20 x 2.0 mm, 50 m w/9 mm insulation	50 m	7087102220
Roth Alu-LaserPlus® iso 26 x 3.0 mm, 50 m w/9 mm insulation	25 m	7087102226
Roth Alu-LaserPlus® iso 32 x 3.0 mm, 25 m w/9 mm insulation	25 m	7087102232
Roth Alu-LaserPlus® 16 x 2.0 mm, 50 m w/25 mm PE pipe	50 m	7087105216
Roth Alu-LaserPlus® 20 x 2.0 mm, 50 m w/28 mm PE pipe	50 m	7087105220
Roth Alu-LaserPlus® 26 x 3.0 mm, 25 m w/34 mm PE pipe	25 m	7087105226
Roth Alu-LaserPlus® 32 x 3.0 mm, 25 m w/42 mm PE pipe	25 m	7087104232



Roth plastic pipe bend 16 mm	1 pcs	7087249218
Roth plastic pipe bend 20 mm (Black)	1 pcs	7087249220
Roth plastic pipe bend 16 - 20 mm (White)	1 pcs	7087255275

# Fixing systems (screed)

**Roth**


MATERIAL	PCK QUANTITY	UK NO.
	Roth Original Tacker® E clip - 43 mm (1,000/box)	1,000 box
	Roth Original Tacker® U clip - 43 mm (1,000/box)	1,000 box
	Roth Original Tacker® clip - 58 mm (300/box)	300 box
	Roth pipe pin clamps for wooden floors (10.5/16 mm pipe)	500 box
	Roth clip rail 10.5 mm, 2 m	1 pcs
	Roth clip rail 16 mm, 2 m	1 pcs
	Roth clip rail 20 mm, 2 m	1 pcs
	Roth clip rail 16 mm, 1 m	1 pcs
	Roth rail holding pin - 60 mm (100/box)	100 box
	Roth pipe pin clips 16 - 20 mm	25 pcs
	Roth pipe pin with tie	25 pcs
	Roth knob panel 14 - 16 mm W/O EPS (20.16 m²/b)	1 pck
	Roth knob panel 14 - 16 mm EPS 10 mm (16.38 m²/b)	1 pck
	Roth knob panel 14 - 16 mm EPS 30 mm (10.08 m²/b)	1 pck
	Roth edge strip 160 x 8 mm, 25 m	25 m

# Fixing systems (screed)

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth profile PE 15 mm, 25 m	25 m	1135002043
 Roth expansion joints 1800 mm x 40 mm	1 pcs	7339659200
 Roth PE cover film 75 m, rolls	1 roll	1135000263

## Roth QuickTemp ClimaComfort® (low profile screed)

	Roth QuickTemp ClimaComfort® panel 14/10.5 mm (7.84 m <sup>2</sup> /b) Roth Compact® panel height 14 mm (17 mm with Roth ClimaConfort® FLOW screed).	1 pck	1115007104
	Roth CC edge strip 50 x 5 mm, 25 m	25 m	1135003442
	Roth QuickTemp ClimaComfort® FLOW - 25 kgs Coverage approx 0.86 m <sup>2</sup> per 25 kg bag at min 17 mm depth. 1.7 kg FLOW m <sup>2</sup> at 1 mm (17 mm = 28.9 m <sup>2</sup> ).	1 pcs	7339349825

# Roth QuickTemp Compact® (low profile overlay)



MATERIAL	PCK QUANTITY	UK NO.
Roth QuickTemp Compact® system 14/10.5 mm (5.2 m <sup>2</sup> /b)	1 pck	7339318006
Roth QuickTemp Compact® system 14/10.5 mm (8.9 m <sup>2</sup> /b)	1 pck	7339318010
Roth QuickTemp Compact® system 24/16 mm (8.9 m <sup>2</sup> /b)	1 pck	7339318024
Roth Compact® system box includes turn and return plates.		



Roth QuickTemp Compact® system 14 mm turn plates (10/pck)	1 pck	7339318810
Roth QuickTemp Compact® system 24 mm turn plates (10/pck)	1 pck	7339318824



Roth QuickTemp transfer plates Compact® 14/10.5 (20/pck)	1 pcs	7339318714
Roth QuickTemp transfer plates Compact® 24/16 (20/pck)	1 pcs	7339318724



Roth QuickTemp Compact® primer - 10 kgs Coverage of approx 1 - 2 mm = 1 - 1.5 kg/m <sup>2</sup> .	1 pcs	7339349810
--	-------	------------



Roth QuickTemp Compact® FLEX FIX - 25 kgs Adhesive required: approx. 4 - 8 kg/m <sup>2</sup> dependent on floor deck and covering.	1 pcs	7339349818
--	-------	------------

#### Consumption of Roth QuickTemp Compact® FLEX FIX Adhesive

Bonding of	Consumption approx. kg/m <sup>2</sup>	Corved notched trowel	Min. joint width
300 x 300	4 kg	5.5 x 13 mm	5.0 mm
600 x 600	7 kg	10 x 15 mm	7.0 mm

# Fixing systems (joist)

**Roth**

MATERIAL	PCK QUANTITY	UK NO.	
	Roth heat diffuser plate 1.000 x 390 x 0.5 mm C/C 200 2 grooves for 16 mm Roth X-PERT® pipe and 200 mm pipe centres.	1 pcs	7UK1000003
	Roth insulation panel 1.200 x 350 x 30 mm C/C 200 UK 2 grooves for 16 mm Roth X-PERT® pipe and 200 mm pipe centres.	1 pcs	7UK1000004
	Roth QuickTemp Routed tongue and groove chipboard panels System pipe 16 mm panel 600 x 100 x 22 mm (0.93 m <sup>2</sup> )  Use with heat diffusion plate 7339217116.	1 pcs	7339295222
	Roth QuickTemp Routed tongue and groove chipboard turns System pipe 16 mm turn 1,200 x 600 x 22 mm (0.72 m <sup>2</sup> ).	1 pcs	7339295523
	Roth QuickTemp universal EPS 30 mm 16/20 mm pipe (12 pck) Panel 600 x 1,200 x 30 mm (8.6 m <sup>2</sup> )	1 pcs	7339314030
	Roth QuickTemp heat diffusion plate 16 mm (40 pck) Plate 180 x 1,200 x 0.5 mm (4 m <sup>2</sup> )	1 pcs	7339217116
	Roth QuickTemp heat diffusion plate 20 mm (12 pck) Plate 280 x 1,200 x 0.5 mm (2.7 m <sup>2</sup> ).	1 pcs	7339217320

# Connecting systems

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
	1 pcs	7401973502
Roth manifold w. flow meter HC 3	1 pcs	7401973503
Roth manifold w. flow meter HC 4	1 pcs	7401973504
Roth manifold w. flow meter HC 5	1 pcs	7401973505
Roth manifold w. flow meter HC 6	1 pcs	7401973506
Roth manifold w. flow meter HC 7	1 pcs	7401973507
Roth manifold w. flow meter HC 8	1 pcs	7401973508
Roth manifold w. flow meter HC 9	1 pcs	7401973509
Roth manifold w. flow meter HC 10	1 pcs	7401973510
Roth manifold w. flow meter HC 11	1 pcs	7401973511
Roth manifold w. flow meter HC 12	1 pcs	7401973512
	1 set	7401973828
	1 set	7HE1000305
	1 pcs	7466210040
	1 pcs	7466210050

# Connecting systems

**Roth**

MATERIAL	PCK QUANTITY	UK NO.	
	Roth shunt - 3 way	1 pcs	7466210218
	Roth shunt - 3 way thermostat/ weather compensator	1 pcs	7466210228
	Roth Minishunt Plus manual control Single Zone inc insulation box. Capillary Thermostat sensor.	1 pcs	7466210141
	Roth Minishunt Plus Wireless control Single Zone inc insulation box. Wireless Thermostat.	1 pcs	7466210310
	Roth Minishunt Plus Wireless + heat element Single Zone inc insulation box. 500w element.	1 pcs	7466210351
	Roth E heater upgrade element, Plus 500w heating element.	1 pcs	7466210650


# Connecting systems

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth RTL valve	1 pcs	7401966006
 Roth RTL return valve, thermostatic head	1 pcs	7401966106
 Roth RTL return valve, wireless room thermostat head	1 pcs	7401966206
 Roth RTL valve capillary room sensor	1 pcs	7401966306
 Roth RTL capillary sensor	1 pcs	7401966630

# Connecting systems

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
	<b>Roth combined ShuntUnit with flow meter 2</b>	1 pcs 7401973522
	<b>Roth combined ShuntUnit with flow meter 3</b>	1 pcs 7401973523
	<b>Roth combined ShuntUnit with flow meter 4</b>	1 pcs 7401973524
	<b>Roth combined ShuntUnit with flow meter 5</b>	1 pcs 7401973525
	<b>Roth combined ShuntUnit with flow meter 6</b>	1 pcs 7401973526
	<b>Roth combined ShuntUnit with flow meter 7</b>	1 pcs 7401973527
	<b>Roth combined ShuntUnit with flow meter 8</b>	1 pcs 7401973528
	<b>Roth T&amp;P optional gauge for Shunt</b> Standard temp/pressure gauge with 0 - 6 bar scale. To be delivered with 1/2" checkvalve to fit 1/2" on the Minishunt.	1 pcs 7HE1000307
	<b>Roth shunt extension set</b> Used to extent up to max 10 port manifold.	1 set 7466212766
	<b>Roth Commercial Systems</b> 1½" modular composite manifolds with flow indicators. Pipe X-PERT 20 mm & 26mm. Available as a complete system design package.  Request further information <a href="mailto:enquires@roth-uk.com">enquires@roth-uk.com</a>	1 set On application

# Fittings


**Roth**

MATERIAL	PCK QUANTITY	UK NO.
		
<b>Roth compression fitting - 10.5 mm 3/4"</b>	1 pcs	1135006677
<b>Roth compression fitting - 14 mm 3/4"</b>	1 pcs	1135005188
<b>Roth compression fitting - 16 mm 3/4"</b>	1 pcs	7401974816
<b>Roth compression fitting - 20 mm 3/4"</b>	1 pcs	7401974820
		
<b>Roth manifold splitter 10.5 mm x 3/4" Euro</b>	1 pcs	1135006678
		
<b>Roth manifold splitter set 3/4" Euro</b>	1 set	1135004001
		
<b>Roth manifold ball valve 1"</b>	1 set	7401973858
		
<b>Roth shunt ball valve 3/4" Euro 3/4" female</b>	1 set	7401973866
		
<b>Roth combined shunt ball valve adaptor 1/2" x 3/4" f/f</b>	1 pcs	7HU1000000

MATERIAL	PCK QUANTITY	UK NO.
Roth double nut - 1" (2 per pck)	1 set	7401973838
Roth extension fitting 1"	1 set	7401973842
Roth extension fitting 1" with ball valve	1 set	7401973860
Roth transition 10.5 mm nipple x 1/2"	1 pcs	1135003447
Roth transition 16 mm nipple x 1/2"	1 pcs	7045162189
Roth transition 20 mm nipple x 1/2"	1 pcs	7045160239
Roth transition 20 mm nipple x 3/4"	1 pcs	7045160246
Roth transition 26 mm nipple x 3/4"	1 pcs	7401976835
Roth transition 26 mm nipple x 1"	1 pcs	7401976836
Roth transition 32 mm nipple x 3/4"	1 pcs	7401976851
Roth transition 32 mm nipple x 1"	1 pcs	7401976852
Roth repair fitting 10.5 mm	1 pcs	1135003446
Roth repair fitting 14 mm	1 pcs	1135001471
Roth repair fitting 16 mm	1 pcs	7045171016
Roth repair fitting 20 mm	1 pcs	7045170020

# Roth Touchline® BL 230V (Wired)



MATERIAL	PCK QUANTITY	UK NO.
 <b>Roth Touchline® BL controller 6 ch 230V</b> Max. 6 Thermostats/Max. 16 Actuators (1 volt free contact).	1 pcs	1135007708
 <b>Roth Touchline® BL controller 10 ch 230V</b> Max. 10 Thermostats/Max. 18 Actuators (2 volt free contact).	1 pcs	1135007709
<hr/>		
 <b>Roth Touchline® BL room thermostat H 230V</b>	1 pcs	1135007402
<hr/>		
 <b>Roth Touchline® BL room thermostat H/E 230V</b> Only for use with air sensor 1135006689 for wet areas.	1 pcs	7RW1000410
<hr/>		
 <b>Roth Touchline® BL wet room sensor 230V</b>	1 pcs	1135006689
<hr/>		

# Roth Touchline® BL 230V (Wired)



MATERIAL	PCK QUANTITY	UK NO.
<p><b>Roth Touchline® BL T digital thermostat</b> Can be used with floor sensor 1135007621.</p> 	1 pcs	1135007436
<p><b>Roth Touchline® actuator 230V</b> Actuator comes N/C</p> 	1 pcs	7466275433
<p><b>Roth Touchline® BL floor temperature sensor T</b></p> 	1 pcs	1135007621
<p><b>Roth Touchline® BL surface mounting plate</b></p> 	1 pcs	1135001934

# Roth Touchline® PL (Wireless)



MATERIAL	PCK QUANTITY	UK NO.
<b>Roth Touchline® PL controller 8 ch UK</b> Max 8 Thermostats/Max 22 actuators. One 230V output for the pump and volt free contact.  	1 pcs	7TE6397008
<b>Roth Touchline® PL room thermostat</b>	1 pcs	7466397100
		
<b>Roth Touchline® PL actuator 230V</b> Actuator come N/C.  	1 pcs	7466275430
<b>Roth Touchline® PL room floor sensor</b>	1 pcs	7466397200
		

# Roth Touchline® SL 230V (Wireless)



MATERIAL	PCK QUANTITY	UK NO.
	<b>Roth Touchline® SL controller 8 ch, master</b> 8 ch master, 4 actuator per ch. Ability to expand by connecting 3 x 8 ch extension modules.	1/10 pcs 7466397058
	<b>Roth Touchline SL controller 12 ch master</b> 8 ch master ability to expand to 12 ch by connecting 4 ch extension module. Max 48 zones available with 3 x 12 ch extension modules.	1/10 pcs 7466397062
	<b>Roth Touchline SL controller 4 ch extension</b> 4 ch extension only for use for the expansion of 8 to 12 ch master or extension modules.	1/10 pcs 7466397064
	<b>Roth Touchline® SL controller 8 ch, extension</b> 8 ch extension, 4 actuator per ch. Ability to expand to 12 ch by connecting 4 ch extension module.	1/10 pcs 7466397068
	<b>Roth Touchline SL WiFi controller 4 channel</b> 4 ch stand alone module with built in WiFi.	1/10 pcs 7466397074
	<b>Roth Touchline® SL standard room thermostat, white</b>  <b>Roth Touchline® SL standard room thermostat, black</b> Touch stat 2 year life AAA battery.	1 pcs 7466397180 1 pcs 7466397181

# Roth Touchline® SL 230V (Wireless)



MATERIAL	PCK QUANTITY	UK NO.	
	Roth Touchline® SL room thermostat X, white Roth Touchline® SL room thermostat X, black	1 pcs 1 pcs	7466397170 7466397171
	Touch-click stat 4 year life AA battery.		
	Roth Touchline® SL thermostat IR, white Roth Touchline® SL thermostat IR, black	1 pcs 1 pcs	7466397160 7466397161
	Touch stat with built in info red floor senor.		
	Roth Touchline® SL Plus room thermostat Touch screen backlight stat.	1 pcs	7466397190
	Roth Touchline SL WiFi internet module	1/10 pcs	7466397002
	Roth Touchline® SL antenna Used in adverse locations of control units, e.g. inside distribution cabinets.	1 pcs	7466397305
	Roth Touchline® SL repeater Can relay signals between room thermostats and control units in buildings with adverse transmitting conditions.	1 pcs	7466397400

# Roth Touchline® SL 230V (Wireless)



MATERIAL	PCK QUANTITY	UK NO.
	<b>Roth Touchline® SL window contact</b> Shuts off the heat in the room when the window or door is opened, to ensure a minimum of heat loss. Wireless communication.	1 pcs 7466397600
	<b>Roth Touchline® SL radiator actuator</b> Used for regulating radiator valves. There are adapters for different valve brands.	1 pcs 7466397450
	<b>Roth Touchline® SL outdoor sensor</b> Used together with the valve module when wireless outdoor sensor is desired. HxLxW: 80 x 50 x 20 mm.	1 pcs 7466397640
	<b>Roth Touchline® SL valve module</b> For controlling motor valves by demand control.	1 pcs 7466397620
	<b>Roth Touchline® SL room sensor mini</b> Non display mini sensor stat for use with Roth system App.	1 pcs 7466397560
	<b>Roth Touchline® SL room sensor</b> Non display sensor stat for use with Roth system App.	1 pcs 7455397580

# Roth Touchline® BL 24V (Wired)



MATERIAL	PCK QUANTITY	UK NO.
<b>Roth Touchline® BL 24V control unit 6 ch</b> Max. 6 Thermostats/Max. 12 Actuators	1 pcs	7466394006

<b>Roth Touchline® BL 24V control unit 12 ch</b> Max. 12 Thermostats/Max. 18 Actuators	1 pcs	7466394012
---	-------	------------



<b>Roth Touchline® BL wired thermostat with display, white</b>	1/20 pcs	7466394120
<b>Roth Touchline® BL wired thermostat with display, black</b>	1/20 pcs	7466394121



<b>Roth Touchline® BL wired room thermostat standard</b>	1 pcs	7466394100
--	-------	------------



<b>Roth Touchline® BL wired room thermostat multi 24V dial</b> Can be used with air or floor sensor.	1 pcs	7466394140
---	-------	------------



<b>Roth Touchline® actuator 24V N/C</b>	1 pcs	7466275425
---	-------	------------



<b>Roth Touchline® BL 24V tamper-proof cover</b>	1 pcs	7466394910
--	-------	------------

# Control Grab and Go boxes (Master)

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
<b>Roth Touchline® SL box for 2 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 2 x room thermostat, 2 x actuator (230V).	1 pcs	7466397702
<b>Roth Touchline® SL box for 3 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 3 x room thermostat, 3 x actuator (230V)	1 pcs	7466397703
<b>Roth Touchline® SL box for 4 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 4 x room thermostat, 4 x actuator (230V).	1 pcs	7466397704
<b>Roth Touchline® SL box for 5 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 5 x room thermostat, 5 x actuator (230V).	1 pcs	7466397705
<b>Roth Touchline® SL box for 6 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 6 x room thermostat, 6 x actuator (230V).	1 pcs	7466397706
<b>Roth Touchline® SL box for 7 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 7 x room thermostat, 7 x actuator (230V).	1 pcs	7466397707
<b>Roth Touchline® SL box for 8 room, Master</b> Contains: 1 x Roth Touchline® SL controller, 8 x room thermostat, 8 x actuator (230V).	1 pcs	7466397708

# Control Grab and Go boxes (Extension)

**Roth**



## MATERIAL

**Roth Touchline® SL box for 2 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
2 x room thermostat, 2 x actuator (230V).

## PCK QUANTITY

1 pcs

## UK NO.

7466397732



**Roth Touchline® SL box for 3 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
3 x room thermostat, 3 x actuator (230V)

1 pcs

7466397733



**Roth Touchline® SL box for 4 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
4 x room thermostat, 4 x actuator (230V).

1 pcs

7466397734



**Roth Touchline® SL box for 5 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
5 x room thermostat, 5 x actuator (230V).

1 pcs

7466397735



**Roth Touchline® SL box for 6 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
6 x room thermostat, 6 x actuator (230V).

1 pcs

7466397736



**Roth Touchline® SL box for 7 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
7 x room thermostat, 7 x actuator (230V).

1 pcs

7466397737



**Roth Touchline® SL box for 8 room, extension**  
Contains: 1 x Roth Touchline® SL controller,  
8 x room thermostat, 8 x actuator (230V).

1 pcs

7466397738

# Accessories & tools

Roth

MATERIAL	PCK QUANTITY	UK NO.
 Roth UFH Cabinet on wall 590 mm	1 pcs	7RW1000.237
Roth UFH Cabinet on wall 790 mm	1 pcs	7RW1000.238
Roth UFH Cabinet on wall 990 mm	1 pcs	7RW1000.239
Roth UFH Cabinet on wall 1190 mm	1 pcs	7RW1000.240
Surface mounted cabinets.		
<hr/>		
 Roth UFH Cabinet in-wall 590 mm	1 pcs	7RW1000.241
Roth UFH Cabinet in-wall 790 mm	1 pcs	7RW1000.242
Roth UFH Cabinet in-wall 990 mm	1 pcs	7RW1000.243
Roth UFH Cabinet in-wall 1190 mm	1 pcs	7RW1000.244
Recessed cabinets.		
<hr/>		
 Roth insulated manifold box For combined shunt (up to 6 ports).	1 pcs	7401973891
<hr/>		

# Tools and spares

MATERIAL	PCK QUANTITY	UK NO.
<p><b>Roth original Tacker® Speedstar gun</b> To be used with Roth E clips.</p> 	1 pcs	1115010582
<p><b>Tool for clips on chipboard</b></p> 	1 pcs	7WT1000015
<p><b>Roth pipe cutters</b></p> 	1 pcs	7087393220
<p><b>Roth pipe holder on wheels (max 650 m)</b></p> 	1 pcs	7087397200
<p><b>Roth pump for ShuntUnit 15/60</b></p> 	1 pcs	7466210615

# Spares

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
	Roth 2-way shunt (without pump)	1 pcs 7HE6210040
	Wilo combined shunt 15/60 pump	1 pcs 7WI1000001
	Wilo combined shunt 15/60 lead	1 pcs 7WI11000101
	Roth thermostat for Minishunt 0 - 28°C	1 pcs 7403466005
	Roth thermostat for shunt 20 - 60°C	1 pcs 7466210850
	Roth thermostat for combined shunt 20 - 60°C	1 pcs 7466212730

# Spares

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth flow meter	1 pcs	7401974891
 Roth manifold flow and return connection fitting	1 pcs	7401974883
 Roth end cap 3/4" RED	1 pcs	7046615126
 Roth end stop 3/4" RED	1 pcs	7046615106
 Roth manifold control valve	1 pcs	7401974903
 Roth manifold valve cap	1 pcs	7401974935

# Spares



MATERIAL	PCK QUANTITY	UK NO.
Roth actuator, red collar, VA90 M30 x 1.5	1 pcs	7466276090



## Spares for Roth Touchline® SL 230V (Wireless) year 2021-2023



Roth Touchline® SL controller 8 ch master      1 pcs      7466397028



Roth Touchline® SL controller 8 ch extension      1 pcs      7466397038



Roth DIN rail for Roth Touchline® 8 channels  
Can be used for mounting Roth Touchline® SL and PL control units.  
Length: 37 cm.      1 stk      SA1000.004



Roth Touchline® SL WiFi internet module      1 pcs      7466397000

# Roth Alu-LaserPlus® pipe system



# Roth Alu-LaserPlus® pipe

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
Roth Alu-LaserPlus® pipe 16 x 2.0 mm, 50 m	50 m	7087100215
Roth Alu-LaserPlus® pipe 16 x 2.0 mm, 100 m	100 m	7087100216
Roth Alu-LaserPlus® pipe 16 x 2.0 mm, 240 m	240 m	7087100246
Roth Alu-LaserPlus® pipe 16 x 2.0 mm, 500 m	500 m	7087100276
Roth Alu-LaserPlus® pipe 20 x 2.0 mm, 100 m	100 m	7087100220
Roth Alu-LaserPlus® pipe 20 x 2.0 mm, 240 m	240 m	7087100250
Roth Alu-LaserPlus® pipe 26 x 3.0 mm, 25 m	25 m	7087100226
Roth Alu-LaserPlus® pipe 32 x 3.0 mm, 25 m	25 m	1344325024
Roth Alu-LaserPlus® pipe 16 x 2.0 mm, 3,2 m	96 m/pck	7087101216
Roth Alu-LaserPlus® pipe 20 x 2.0 mm, 3,2 m	64 m/pck	7087101220
Roth Alu-LaserPlus® pipe 26 x 3.0 mm, 3,2 m	48 m/pck	7087101226
Roth Alu-LaserPlus® pipe 32 x 3.0 mm, 3,2 m	28.8 m/pck	7087101232
Roth Alu-LaserPlus® pipe 40 x 3.5 mm, 3,2 m	16 m/pck	7087101240
Roth Alu-LaserPlus® pipe 50 x 4.0 mm, 3,2 m	9.6 m/pck	7087101250
Roth Alu-LaserPlus® pipe 63 x 4.5 mm, 3,2 m	9.6 m/pck	7087101263
		
Roth Alu-LaserPlus® iso 16 x 2.0 mm, 50 m w/9 mm insulation	50 m	7087102216
Roth Alu-LaserPlus® iso 20 x 2.0 mm, 50 m w/9 mm insulation	50 m	7087102220
Roth Alu-LaserPlus® iso 26 x 3.0 mm, 25 m w/9 mm insulation	25 m	7087102226
Roth Alu-LaserPlus® iso 32 x 3.0 mm, 25 m w/9 mm insulation	25 m	7087102232
Roth Alu-LaserPlus® 16 x 2.0 mm, 50 m w/25 mm PE pipe	50 m	7087105216
Roth Alu-LaserPlus® 20 x 2.0 mm, 50 m w/28 mm PE pipe	50 m	7087105220
Roth Alu-LaserPlus® 26 x 3.0 mm, 25 m w/34 mm PE pipe	25 m	7087105226
Roth Alu-LaserPlus® 32 x 3.0 mm, 25 m w/42 mm PE pipe	25 m	7087104232

## Roth T-pieces



Roth T-piece standard 16 x 16 x 16 mm	10/box	1115006642
Roth T-piece standard 20 x 20 x 20 mm	10/box	1115005525
Roth T-piece standard 25 x 25 x 25 mm	5/box	1115005526
Roth T-piece standard 32 x 32 x 32 mm	5/box	1115005527
Roth T-piece standard 40 x 40 x 40 mm	2/box	1135004450
Roth T-piece standard 50 x 50 x 50 mm	2/box	1135004452

T-piece dimensions:  
A inlet flow (mm), B branch (mm), C exit flow (mm).

Roth T-piece standard 63 x 63 x 63 mm (B)	1 pcs	1135004383
---	-------	------------



MATERIAL	PCK QUANTITY	UK NO.
Roth T-piece increased out 16 x 20 x 16 mm	10/box	1115006644
Roth T-piece increased out 20 x 25 x 20 mm	5/box	1115005545
Roth T-piece increased out 20 x 32 x 20 mm	5/box	1115005546
Roth T-piece increased out 25 x 32 x 25 mm	5/box	1115005547
Roth T-piece reduced out 20 x 16 x 20 mm	10/box	1115006702
Roth T-piece reduced out 25 x 16 x 25 mm	5/box	1115006646
Roth T piece reduced out 25 x 20 x 25 mm	5/box	1115005532
Roth T-piece reduced out 32 x 16 x 32 mm	5/box	1135004453
Roth T-piece reduced out 32 x 20 x 32 mm	5/box	1115005533
Roth T-piece reduced out 32 x 25 x 32 mm	5/box	1115005534
Roth T-piece reduced out 40 x 20 x 40 mm	2/box	1135004454
Roth T-piece reduced out 40 x 25 x 40 mm	2/box	1135004455
Roth T-piece reduced out 40 x 32 x 40 mm	2/box	1135004456
Roth T-piece reduced out 50 x 40 x 50 mm	2/box	1135004457
Roth T-piece reduced out 50 x 20 x 50 mm (B)	2/box	1135004393
Roth T-piece reduced out 50 x 25 x 50 mm (B)	2/box	1135004384
Roth T-piece reduced out 50 x 32 x 50 mm (B)	2/box	1135004385
Roth T-piece reduced out 63 x 25 x 63 mm (B)	1 pcs	1135004394
Roth T-piece reduced out 63 x 32 x 63 mm (B)	1 pcs	1135004386
Roth T-piece reduced out 63 x 40 x 63 mm (B)	1 pcs	1135004387
Roth T-piece reduced out 63 x 50 x 63 mm (B)	1 pcs	1135004388
Roth T-piece reduced pass 20 x 20 x 16 mm	10/box	1115006647
Roth T-piece reduced pass 25 x 25 x 20 mm	5/box	1115005536
Roth T-piece reduced out/pass 20 x 16 x 16 mm	10/box	1115006645
Roth T-piece reduced out/pass 25 x 16 x 16 mm	5/box	1135004458
Roth T-piece reduced out/pass 25 x 16 x 20 mm	5/box	1135004459
Roth T-piece reduced out/pass 25 x 20 x 20 mm	5/box	1115005541
Roth T-piece reduced out/pass 32 x 20 x 20 mm	5/box	1135004460
Roth T-piece reduced out/pass 32 x 20 x 25 mm	5/box	1135004461
Roth T-piece reduced out/pass 32 x 25 x 25 mm	5/box	1115005542
Roth T-piece reduced out/pass 40 x 32 x 32 mm (B)	2/box	1135004389
Roth T-piece reduced out/pass 63 x 50 x 50 mm (B)	1 pcs	1135004390
Roth T int thread 16 mm x 1/2" x 16 mm	10/box	7045662189
Roth T int thread 20 mm x 1/2" x 20 mm	10/box	1135001132
Roth T int thread 20 mm x 3/4" x 20 mm	10/box	7045662246
Roth T int thread 25 mm x 3/4" x 20 mm	10/box	7045661132
Roth T int thread 25 mm x 1/2" x 25 mm	5/box	1115005692
Roth T int thread 25 mm x 3/4" x 25 mm	5/box	1135004506
Roth T int thread 32 mm x 1/2" x 32 mm	5/box	1115005693
Roth T int thread 32 mm x 3/4" x 26 mm	5/box	7045661071
Roth T int thread 32 mm x 3/4" x 32 mm	5/box	1135004507
Roth T int thread 40 mm x 3/4" x 40 mm	2/box	7045662414
Roth T int thread 40 mm x 1" x 40 mm	2/box	1135004422
Roth T int thread 50 mm x 1" x 50 mm	2/box	1135004423
Roth T int thread 63 mm x 1" x 63 mm	1 pcs	1135004424

# Elbows

**Roth**

MATERIAL	PCK QUANTITY	UK NO.	
	Roth 90°C elbow 16 x 16 mm Roth 90°C elbow 20 x 20 mm Roth 90°C elbow 25 x 25 mm Roth 90°C elbow 32 x 32 mm Roth 90°C elbow 40 x 40 mm Roth 90°C elbow 50 x 50 mm	10/box 10/box 10/box 10/box 2/box 2/box	1115006650 1115005560 1115005561 1115005562 1135004469 1135004470
	Roth 90°C elbow 63 x 63 mm (B)	1 pcs	1135004398
	Roth ext thread trans elbow 16 mm x 1/2" Roth ext thread trans elbow 20 mm x 1/2" Roth ext thread trans elbow 20 mm x 3/4" Roth ext thread trans elbow 25 mm x 3/4" Roth ext thread trans elbow 25 mm x 1" Roth ext thread trans elbow 32 mm x 1" Roth ext thread trans elbow 32 mm x 1 1/4" Roth ext thread trans elbow 40 mm x 1 1/4" Roth ext thread trans elbow 50 mm x 1 1/2"	10/box 10/box 10/box 5/box 5/box 5/box 5/box 2/box 2/box	1135004354 1135000490 1135000491 1135001240 1135001241 1135001242 1135001243 1135004408 1135004409
	Roth int thread trans elbow 16 mm x 3/8" Roth int thread trans elbow 16 mm x 1/2" Roth int thread trans elbow 20 mm x 1/2" Roth int thread trans elbow 20 mm x 3/4" Roth int thread trans elbow 25 mm x 3/4" Roth int thread trans elbow 25 mm x 1" Roth int thread trans elbow 32 mm x 3/4 Roth int thread trans elbow 32 mm x 1" Roth int thread trans elbow 32 mm x 1 1/4" Roth int thread trans elbow 40 mm x 1 1/2" Roth int thread trans elbow 50 mm x 1 1/2"	10/box 10/box 10/box 10/box 5/box 5/box 5/box 5/box 5/box 2/box 2/box	7045651185 1135004356 1135000494 1135000495 1135001244 1135001245 7045652371 1135001246 1135001247 1135004410 1135004411
	Roth 45°C elbow 25 x 25 mm Roth 45°C elbow 32 x 32 mm Roth 45°C elbow 40 x 40 mm Roth 45°C elbow 50 x 50 mm (B) Roth 45°C elbow 63 x 63 mm (B)	10/box 10/box 2/box 2/box 1 pcs	1115005563 1115005564 1135004471 1135004399 1135004400

# Transition & couplings

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
Roth coupling 16 x 16 mm	10/box	1115006651
Roth coupling 20 x 20 mm	10/box	1115005550
Roth coupling 25 x 25 mm	10/box	1115005551
Roth coupling 32 x 32 mm	5/box	1115005552
Roth coupling 40 x 40 mm	2/box	1135004462
Roth coupling 50 x 50 mm	2/box	1135004463



Roth coupling 63 x 63 mm	1 pcs	1135004391
--------------------------	-------	------------



Roth coupling reduced 20 x 16 mm	10/box	1115006649
Roth coupling reduced 25 x 16 mm	5/box	1135004464
Roth coupling reduced 25 x 20 mm	5/box	1115005556
Roth coupling reduced 32 x 20 mm	5/box	1135004466
Roth coupling reduced 32 x 25 mm	5/box	1115005557
Roth coupling reduced 40 x 32 mm	2/box	1135004467
Roth coupling reduced 50 x 40 mm	2/box	1135004468



Roth coupling reduced 40 x 25 mm (B)	2/box	1135004392
Roth coupling reduced 50 x 32 mm (B)	2/box	1135004395
Roth coupling reduced 63 x 40 mm (B)	1 pcs	1135004396
Roth coupling reduced 63 x 50 mm (B)	1 pcs	1135004397



Roth Red nipple m/thread 16 mm x 3/8"	10/box	1135004782
Roth Red nipple m/thread 16 mm x 1/2"	10/box	1135004348
Roth Red nipple m/thread 16 mm x 3/4"	10/box	1135004349
Roth Red nipple m/thread 20 mm x 1/2"	10/box	1135000532
Roth Red nipple m/thread 20 mm x 3/4"	10/box	1135000533
Roth Red nipple m/thread 25 mm x 3/4"	10/box	1135001272
Roth Red nipple m/thread 25 mm x 1"	10/box	1135001273
Roth Red nipple m/thread 32 mm x 1"	5/box	1135001274
Roth Red nipple m/thread 32 mm x 1 1/4"	5/box	1135001275
Roth Red nipple m/thread 40 mm x 1 1/4"	2/box	1135004405
Roth Red nipple m/thread 50 mm x 1 1/2"	2/box	1135004406
Roth Red nipple m/thread 63 mm x 2"	1 pcs	1135004407

# Transition & couplings

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
Roth trans female thread 16 mm x 1/2" (RB)	10/box	1135004342
Roth trans female thread 16 mm x 3/4" (RB)	10/box	1135004343
Roth trans female thread 20 mm x 1/2" (RB)	10/box	1135000536
Roth trans female thread 20 mm x 3/4" (RB)	10/box	1135000537
Roth trans female thread 25 mm x 3/4" (RB)	5/box	1135001268
Roth trans female thread 25 mm x 1" (RB)	5/box	1135001269
Roth trans female thread 32 mm x 1" (RB)	5/box	1135001270
Roth trans female thread 32 mm x 1 1/4" (RB)	5/box	1135001271
Roth trans female thread 40 mm x 1 1/4" (RB)	2/box	1135004401
Roth trans female thread 40 mm x 1 1/2" (RB)	2/box	1135004402
Roth trans female thread 50 mm x 1 1/2" (RB)	2/box	1135004403
Roth trans female thread 63 mm x 2" (RB)	1 pcs	1135004404



Roth press fitting universal 16 mm x 10 mm	10/box	7045658182
Roth press fitting universal 16 mm x 15 mm	10/box	1135004244
Roth press fitting universal 20 mm x 22 mm	10/box	7045658246
Roth press fitting universal 26 mm x 22 mm	10/box	7045658310
Roth press fitting universal 26 mm x 28 mm	10/box	7045658315
Roth press fitting universal 32 mm x 28 mm	10/box	7045658389



Roth union flat seal int thr 16 mm x 1/2"	10/box	7045664189
Roth union flat seal int thr 16 mm x 3/4"	10/box	7045664.195
Roth union flat seal int thr 20 mm x 3/4"	10/box	1115005390
Roth union flat seal int thr 25 mm x 1"	5/box	1115005396
Roth union female/female thread 20 mm x 3/4"	10/box	7045665246
Roth union female/female thread 25 mm x 3/4"	5/box	7045665315
Roth union female/female thread 32 mm x 1"	5/box	7045665032



Roth press connection 16 mm x 15 mm	10/box	1115006862
Roth press connection 16 mm x 18 mm	10/box	1115006863
Roth press connection 20 mm x 18 mm	10/box	1135000547
Roth press connection 20 mm x 22 mm	10/box	1135000548
Roth press connection 26 mm x 22 mm	5/box	1135001264



Roth screw flat seal int thr 16 mm x 3/8"	10/box	1135004381
Roth screw flat seal int thr 16 mm x 1/2"	10/box	1135004363
Roth screw flat seal int thr 16 mm x 3/4"	10/box	1135004364
Roth screw flat seal int thr 20 mm x 3/4"	10/box	1135000519
Roth screw flat seal int thr 20 mm x 1"	10/box	1135000520
Roth screw flat seal int thr 25 mm x 3/4"	5/box	1115006163
Roth screw flat seal int thr 25 mm x 1"	5/box	1135001276
Roth screw flat seal int thr 32 mm x 1 1/4"	5/box	1135001277
Roth screw flat seal int thr 40 mm x 1 1/2"	2/box	1135004412

# Transition & couplings

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
Roth repair fitting 16 mm	1 pcs	7045669016
Roth repair fitting 20 mm	1 pcs	7045669020
Roth repair fitting 26 mm	1 pcs	7045669026
Roth repair fitting 32 mm	1 pcs	7045669032

## Fittings



Roth wall disk int thread 16 mm x 1/2"	10/box	1135004359
Roth wall disk int thread 20 mm x 1/2"	10/box	1135000513
Roth wall disk int thread 20 mm x 3/4"	5/box	1135001492
Roth wall disk int thread 25 mm x 3/4"	5/box	1135001230
Roth straight-wall disk - 16 mm x 1/2" x 16 mm	10/box	7045667189



Roth U-wall disk - 16 mm x 1/2" x 16 mm	10/box	1135004533
Roth U-wall disk - 20 mm x 1/2" x 20 mm	10/box	1135004535
Roth U-wall disk - 20 mm x 1/2" x 16 mm	10/box	1135004536



Roth radiator connection elbow - 16 mm (Set 2)	1 set	1135004321
Roth radiator connection elbow - 20 mm (Set 2)	1 set	1135001366
Roth radiator T-connector 20 mm (Set 2)	1 set	1135000402

# Fittings

**Roth**



MATERIAL	PCK QUANTITY	UK NO.
Roth 2 port manifold RED	1 pcs	7046217430
Roth 3 port manifold RED	1 pcs	7046217431
Roth 4 port manifold RED	1 pcs	7046217432



Roth 3 port manifold set with brackets	1 pcs	1115009807
Roth 4 port manifold set with brackets	1 pcs	1115009808
Roth 5 port manifold set with brackets	1 pcs	1115009809
Roth 6 port manifold set with brackets	1 pcs	1115009810
Roth 7 port manifold set with brackets	1 pcs	1115009811



Roth UFH Cabinet on wall 590 mm	1/20 pcs	7RW1000.237
Roth UFH Cabinet on wall 790 mm	1/15 pcs	7RW1000.238
Roth UFH Cabinet on wall 990 mm	1/12 pcs	7RW1000.239
Roth UFH Cabinet on wall 1190 mm	1/11 pcs	7RW1000.240

Surface mounted cabinets.



Roth UFH Cabinet in-wall 590 mm	1/28 pcs	7RW1000.241
Roth UFH Cabinet in-wall 790 mm	1/25 pcs	7RW1000.242
Roth UFH Cabinet in-wall 990 mm	1/20 pcs	7RW1000.243
Roth UFH Cabinet in-wall 1190 mm	1/19 pcs	7RW1000.244

Recessed cabinets.



Roth compression fitting - 10.5 mm	100/box	1135006677
Roth compression fitting - 14 mm 3/4"	10/box	1135005188
Roth compression fitting - 16 mm 3/4"	100/box	7401974816
Roth compression fitting - 17 mm 3/4"	10/box	1135005190
Roth compression fitting - 20 mm 3/4"	100/box	7401974820
Roth compression fitting - 16 mm 1/2"	10/box	7IP1000000

# Fittings

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth pressure plug 16 mm	1 pcs	1135004444
Roth pressure plug 20 mm	1 pcs	1115006904
Roth pressure plug 25 mm	1 pcs	1115006905
Roth pressure plug 32 mm	1 pcs	1115006906
Roth pressure plug 40 mm	1 pcs	1135004445
Roth pressure plug 50 mm	1 pcs	1135004446
Roth pressure plug 63 mm	1 pcs	1115006909
<hr/>		
 Roth press fit sleeve 16 mm	10/box	1115006864
Roth press fit sleeve 20 mm	10/box	1135000383
Roth press fit sleeve 25 mm	10/box	1135001368
Roth press fit sleeve 32 mm	10/box	1135001369
Roth press fit sleeve 40 mm	2/box	1135004538
Roth press fit sleeve 50 mm	2/box	1135004539
<hr/>		
 Roth reducing nipple 3/4" x 1/2"	10/box	1135001530
<hr/>		
 Roth end cap 3/4" RED	20/box	7046615126
<hr/>		
 Roth end stop 3/4" RED	20/box	7046615106

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth press tool ACO 102 16 - 32 mm set	1 pcs	1135009085
 Roth Press tool Novopress 18V ACO203 Roth Press tool Novopress 230V ECO203	1 pcs 1 pcs	7045728012 7045728023
 Roth press jaw 16 mm for ACO 102 tool Roth press jaw 20 mm for ACO 102 tool Roth press jaw 25 mm for ACO 102 tool Roth press jaw 32 mm for ACO 102 tool	1 pcs 1 pcs 1 pcs 1 pcs	1135003905 1135003907 1135003908 1135003909
 Roth press Jaw 16 mm for 202/203 tool Roth press jaw 20 mm for 202/203 tool Roth press jaw 25 mm for 202/203 tool Roth press jaw 32 mm for 202/203 tool	1 pcs 1 pcs 1 pcs 1 pcs	1135002952 1135000335 1135001402 1135001403
 Roth basic jaw for press loops	1 pcs	1135001903

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth press loop 40 mm	1 pcs	1135004953
Roth press loop 50 mm	1 pcs	1135004542
Roth press loop 63 mm	1 pcs	1135002771
<hr/>		
 Roth case for press jaws 16 - 32 mm	1 pcs	1135002111
<hr/>		
 Roth case base jaw & press loops 40 - 63 mm	1 pcs	1135002861
<hr/>		
 Roth rechargeable battery for ACO 202/203	1 pcs	1135005465
<hr/>		
 Roth battery charger for ACO 202/203	1 pcs	1135007171
<hr/>		

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.	
	Roth rechargeable battery for ACO 102 1.5 hr Roth rechargeable battery for ACO 102 3 hr	1 pcs 1 pcs	1135006585 1135006586
	Roth battery charger for ACO 102	1 pcs	1135006587
	Roth minipress Klauke, 18V w/jaws 16 - 32	1 pcs	7045727118
	Roth press tool Klauke, 18V w/jaws 16 - 32	1 pcs	7045727318
	Roth minipress Klauke 18V	1 pcs	7045727018

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth press tool Klauke 18V	1 pcs	7045727218
 Roth mini press jaws 16 mm f. Klauke 18V	1 pcs	7045729116
Roth mini press jaws 20 mm f. Klauke 18V	1 pcs	7045729120
Roth mini press jaws 26 mm f. Klauke 18V	1 pcs	7045729126
Roth mini press jaws 32 mm f. Klauke 18V	1 pcs	7045729132
 Roth press jaws 16 mm f. Klauke 18V	1 pcs	7045729216
Roth press jaws 20 mm f. Klauke 18V	1 pcs	7045729220
Roth press jaws 26 mm f. Klauke 18V	1 pcs	7045729226
Roth press jaws 32 mm f. Klauke 18V	1 pcs	7045729232
 Roth case for press jaws 16 - 32 mm	1 pcs	1135002111
 Roth battery mini press Klauke	1 pcs	7045727818

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth press battery, Klauke 18V	1 pcs	7045727918
 Roth calibration tool 16 and 20 mm Roth calibration tool 26 and 32 mm	1 pcs 1 pcs	7045728516 1135001370
 Roth calibration tool 40 mm Roth calibration tool 50 mm Roth calibration tool 63 mm	1 pcs 1 pcs 1 pcs	1135004543 1135004545 1135002772
 Roth single calibration tool 16 mm Roth single calibration tool 20 mm Roth single calibration tool 25 mm Roth single calibration tool 32 mm Roth single calibration tool 40 mm Roth single calibration tool 50 mm Roth single calibration tool 63 mm	1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs 1 pcs	1135005173 1135005175 1135005176 1135005177 1135005511 1135005512 1135005513
 Roth grab handle for single calibration	1 pcs	1135005178

# Accessories & tools

**Roth**

MATERIAL	PCK QUANTITY	UK NO.
 Roth calibration tool set - 14 - 32 mm	1 pcs	1135005171
 Roth outer bending spring 16 x 350 mm	1 pcs	1135003032
 Roth outer bending spring 20 x 400 mm	1 pcs	1135000581
 Roth inner bending spring 16 x 1.600 mm	1 pcs	1135003031
 Roth inner bending spring 20 x 1.600 mm	1 pcs	1135001660

# Roth Training

## - Underfloor heating

Classroom



CPD presentations



Onsite



Approved Installer



## Pipe installations -

**Roth system thinking**



We are with you – all the way.  
We offer the best possible highquality system  
solutions for every task. We do our utmost to  
offer the best support and service in the process.  
We call this: full circle, full service.

**Roth**

**ROTH UK Ltd**  
Enterprise House  
Barracks Road  
Stourport-On-Severn  
Worcestershire  
DY13 9RW  
Phone +44 (0) 1905 453424  
E-Mail [enquiries@roth-uk.com](mailto:enquiries@roth-uk.com)  
[technical@roth-uk.com](mailto:technical@roth-uk.com)  
[orders@roth-uk.com](mailto:orders@roth-uk.com)  
[accounts@roth-uk.com](mailto:accounts@roth-uk.com)  
[roth-uk.com](http://roth-uk.com)